




Explore the Rivers of Bharat

Largest Pavilion of
Digital Fullbody
Tiles

MASTER
COLLECTION '24

INTRODUCING
THE RIVERS OF
BHARAT





DIGITAL
PRINT

PUNCH
EFFECT

FULLBODY
TILES

DIGITAL PRINTING
TECHNOLOGY

Product Features

Digital Full body tiles are designed to offer top-tier performance with low water absorption, making them ideal for wet areas and high-traffic zones.



WATER
ABSORPTION
<0.05%



HIGH
STRENGTH



MAINTENANCE
FREE



CHEMICAL
RESISTANCE



ABRASION
RESISTANCE

Product Applications

Its Toughness And Grit Make It The Optimum Choice For High-traffic Areas Where It Show Its Endurance Along With Its Majestic Looks.



FLOOR
APPLICATION



FACADE &
WALL



OUTDOOR &
SIT OUT AREA



SWIMMING
POOL
BORDER



GARDEN &
PATHWAY



Kaveri
SERIES

Explore
the Rivers of
Bharat

**600X1200MM
[9MM THICKNESS]
DIGITAL FULLBODY**

**KAVERI
APRICOT**

RANDOM - 9 FACES



Size
600x1200mm

Finish
Matt

Thickness
9mm

FEATURES



WATER
ABSORPTION
<0.05%



HIGH
STRENGTH



MAINTENANCE
FREE




CHEMICAL
RESISTANCE



ABRASION
RESISTANCE

digital
fullbody

**DIGITAL
FULLBODY TILES**



Size
600x
1200mm

COLLECTION '24

Kaveri
SERIES



Preview of_
KAVERI APRICOT

KAVERI
DOLPHIN

RANDOM - 9 FACES



Size
600x1200mm

Finish
Matt

Thickness
9mm

FEATURES



WATER
ABSORPTION
<0.05%



HIGH
STRENGTH



MAINTENANCE
FREE



CHEMICAL
RESISTANCE



ABRASION
RESISTANCE

digital
fullbody

DIGITAL
FULLBODY TILES



Size
600x
1200mm

COLLECTION '24


Kaveri
SERIES



Preview of _
KAVERI DOLPHIN

KAVERI
GRAPHITE

RANDOM - 9 FACES



Size
600x1200mm

Finish
Matt

Thickness
9mm

FEATURES



WATER
ABSORPTION
<0.05%



HIGH
STRENGTH



MAINTENANCE
FREE




CHEMICAL
RESISTANCE



ABRASION
RESISTANCE

digital
fullbody

**DIGITAL
FULLBODY TILES**



Size
600x
1200mm



Preview of _
KAVERI GRAPHITE

KAVERI
MUSHROOM

RANDOM - 9 FACES



Size
600x1200mm

Finish
Matt

Thickness
9mm

FEATURES



WATER
ABSORPTION
<0.05%



HIGH
STRENGTH



MAINTENANCE
FREE



CHEMICAL
RESISTANCE



ABRASION
RESISTANCE

DIGITAL
FULLBODY TILES



Size
600x
1200mm

COLLECTION '24

Kaveri
SERIES



Preview of_
KAVERI MUSHROOM

Technical Specification

TECHNICAL DETAILS	STANDARD AS PER ISO-13006/EN176 GROUP BIa	MEAN VALUE OF FULL BODY VITRIFIED TILES	METHOD OF TEST
Deviation In Length & Width	± 0.60%	± 0.10%	ISO-10545-2
Deviation In Thickness	+ 5.00%	+2.00%	ISO-10545-2
Straightness Of Sides	± 0.50%	± 0.10%	ISO-10545-2
Rectangularity	+ 0.60%	± 0.10%	ISO-10545-2
Surface Flatness	± 0.50%	± 0.10%	ISO-10545-2
Glossiness	Gloss Meter	Min. 90%	Glossometer
Water Absorption	≤ 0.50%	E ≤ 0.03%	ISO-10545-3
Breaking Strength	1300 N	2000 N	ISO-10545-4
Abrasion Resistance	Max. 175mm	Max. 145mm ³	ISO-10545-6
Moh's Hardness	Min. 6	≤ 6*	EN101
Frost Resistance	Frost Proof	Frost Proof	ISO-10545-12
Thermal Shock	No Damage	No Damage	ISO-10545-9
Moisture Expansion	Nil	Nil	ISO-10545-10
Thermal Expansion	<9 x 10 ⁻⁶	< 6 x 10 ⁻⁶	ISO-10545-8
Resistance of House Hold Chemical	No Damage	No Damage*	ISO-10545-13
Stain Resistance	Resistance	Resistance*	ISO-10545-14
Slip Resistance(friction Co Efficient)	> 0.40	> 0.40	ISO-10545-17

Packing Details

Size	Surface	Tiles/Box	Thickness (mm) (+/- 0.2mm)	Box Weight (+/- 0.5KG)	Thickness	Sq. Mtr. / Box	Box/Pallet	Pallet Container	Box Container	Sq. Mtr. Container
600x1200mm	Matt	2	9.1	29.5	9.0mm	1.44	12x64 Box 5X30 Box	17	918	1321.92

