



Explore the Rivers of Bharat

Largest Pavilion of
Digital Fullbody
Tiles

MASTER
COLLECTION '24

INTRODUCING
THE RIVERS OF
BHARAT





DIGITAL
PRINT

PUNCH
EFFECT

FULLBODY
TILES

DIGITAL PRINTING
TECHNOLOGY

Product Features

Digital Full body tiles are designed to offer top-tier performance with low water absorption, making them ideal for wet areas and high-traffic zones.



WATER
ABSORPTION
<0.05%



HIGH
STRENGTH



MAINTENANCE
FREE



CHEMICAL
RESISTANCE



ABRASION
RESISTANCE

Product Applications

Its Toughness And Grit Make It The Optimum Choice For High-traffic Areas Where It Show Its Endurance Along With Its Majestic Looks.



FLOOR
APPLICATION



FACADE &
WALL



OUTDOOR &
SIT OUT AREA



SWIMMING
POOL
BORDER



GARDEN &
PATHWAY

Sutlej
SERIES

Explore
the Rivers of
Bharat

600X1200MM
[9MM THICKNESS]
DIGITAL FULLBODY

SUTLEJ
APRICOT

RANDOM - ∞ FACES



Size
600x1200mm

Finish
Rustic

Thickness
9mm

FEATURES



WATER
ABSORPTION
<0.05%



HIGH
STRENGTH



MAINTENANCE
FREE



CHEMICAL
RESISTANCE



ABRASION
RESISTANCE

digital
fullbody

DIGITAL
FULLBODY TILES

Size
600x
1200mm

COLLECTION '24

Sutlej
SERIES



Preview of_
SUTLEJ APRICOT

SUTLEJ
DOLPHIN

RANDOM - ∞ FACES

Sutlej
SERIES



Size
600x1200mm

Finish
Rustic

Thickness
9mm

FEATURES



WATER
ABSORPTION
<0.05%



HIGH
STRENGTH



MAINTENANCE
FREE



CHEMICAL
RESISTANCE



ABRASION
RESISTANCE

digital
fullbody

**DIGITAL
FULLBODY TILES**



Size
600x
1200mm

COLLECTION '24

Sutlej
SERIES



Preview of_
SUTLEJ DOLPHIN

The image features a dark, charcoal-colored background with a fine, fibrous texture, characteristic of handmade paper. The texture is uneven, with subtle variations in tone and some faint, irregular patterns. In the lower right quadrant, the words "SUTLEJ" and "GRAPHITE" are printed in a clean, white, sans-serif font, stacked vertically. The text is centered horizontally within its area and stands out sharply against the dark background.

SUTLEJ
GRAPHITE

RANDOM - ∞ FACES

Sutlej
SERIES



Size
600x1200mm

Finish
Rustic

Thickness
9mm

FEATURES



WATER
ABSORPTION
<0.05%



HIGH
STRENGTH



MAINTENANCE
FREE



CHEMICAL
RESISTANCE



ABRASION
RESISTANCE

digital
fullbody

**DIGITAL
FULLBODY TILES**



Size
600x
1200mm

COLLECTION '24

Sutlej
SERIES



Preview of _
SUTLEJ GRAPHITE

Technical Specification

TECHNICAL DETAILS	STANDARD AS PER ISO-13006/EN176 GROUP BIa	MEAN VALUE OF FULL BODY VITRIFIED TILES	METHOD OF TEST
Deviation In Length & Width	± 0.60%	± 0.10%	ISO-10545-2
Deviation In Thickness	+ 5.00%	+2.00%	ISO-10545-2
Straightness Of Sides	± 0.50%	± 0.10%	ISO-10545-2
Rectangularity	+ 0.60%	± 0.10%	ISO-10545-2
Surface Flatness	± 0.50%	± 0.10%	ISO-10545-2
Glossiness	Gloss Meter	Min. 90%	Glossometer
Water Absorption	≤ 0.50%	E ≤ 0.03%	ISO-10545-3
Breaking Strength	1300 N	2000 N	ISO-10545-4
Abrasion Resistance	Max. 175mm	Max. 145mm ³	ISO-10545-6
Moh's Hardness	Min. 6	≤ 6*	EN101
Frost Resistance	Frost Proof	Frost Proof	ISO-10545-12
Thermal Shock	No Damage	No Damage	ISO-10545-9
Moisture Expansion	Nil	Nil	ISO-10545-10
Thermal Expansion	<9 x 10 ⁻⁶	< 6 x 10 ⁻⁶	ISO-10545-8
Resistance of House Hold Chemical	No Damage	No Damage*	ISO-10545-13
Stain Resistance	Resistance	Resistance*	ISO-10545-14
Slip Resistance(friction Co Efficient)	> 0.40	> 0.40	ISO-10545-17

Packing Details

Size	Surface	Tiles/Box	Thickness (mm) (+/- 0.2mm)	Box Weight (+/- 0.5KG)	Thickness	Sq. Mtr. / Box	Box/Pallet	Pallet Container	Box Container	Sq. Mtr. Container
600x1200mm	Matt	2	9.1	29.5	9.0mm	1.44	12x64 Box 5X30 Box	17	918	1321.92

